

REFERENCES

1. Harris MTC. Aging women's journey towards wholeness: New visions and directions. *Health care for women international*.2008;29:962-979.
DOI 10.1080/07399330802269659.
2. Gutierrez CV, Araujo E, Cruz F, Rao JM, Barbosa W, Villaverde GR. Quality of life of rural menopausal women in response to a customized exercise programme. *Issues in nursing practice*; 2005: 54(1), 11–19.
3. Dharani BP, Veerajju P, Venkateshwara TR. Menarcheal and menopausal age distribution among kshtriya women of north coastal Andhra Pradesh. *Anthropologist*. 2009;11(3):233-236.
4. Hill K. The demography of menopause. *Maturitas*. 1996;23:113 -127.
5. Census of India. 2001. Available from: URL: <http://www.censusindia.net/>
6. Nelson HD, Haney E, Humphrey L, Miller J, Nedrow A, Nicolaidis C, Vesco K, Walker M, Bougatsos C, Nygren P. Management of menopause related symptoms: evidence report/technology assessment. Agency for health care research and quality: Rockville M.D;120:2005
7. Jahanfar Sh, Rahim A, Reza S, Nor A. Sharifah N, Siti A. Age of menopause and menopausal symptoms among Malaysian women who referred to health clinic in Malaysia. *Shiraj E Medical Journal*. 2006;7(3):1-9
8. Roy TK, Arnold F, Kulkarni S. Kishor S, Gupta K, Mishra V, Nangia P, Retherford, Pandey A, Kumar S. National Family health survey (NHFS-2). International Institute for Population Sciences Mumbai, India . 2000;1-126.
Available on <http://www.nfhsindia.org>
9. Lal, N. Premature menopause risks rising: study. *India together*. 2007, 3rd March.

10. Nagar S, Dave D. Perception of women towards physiological problems faced at menopause. *Anthropologist*. 2005;7(3):173-175.
11. Sherman S. Defining the menopause transition. *The American journal of medicine*. 2005;118(12B):3S-7S DOI 10.1016/j.amjmed. 2005.11.002
12. Deborah G. Management of menopausal symptoms. *N Engl. j med*. 2006;355(22):2338-2347 Available at www.nejm.org
13. Stubbs M. L, Cohen SM., Carr F. Menopausal women's perceived causes of hot flash. *Health Care for women International*. 2008;29:755-765 DOI:10.1080/07399330802179205.
14. C Bertero. What do women think about menopause? A quantitative study of women's expectations, apprehensions and knowledge about the climacteric period. *International Council of nurses' International nursing review*. 2003; 50:109-118.
15. Gopal M, Sammel MD, Arya LA, Freeman EW, Lin H, Gracia C. Association of change in estradiol to lower urinary tract symptoms during the menopausal transition. *Obstet Gynecol*. 2008;112:1045-52.
Available from <http://www.ncbi.nlm.nih.gov/pubmed/18978104>
16. Sedigheh F, Marjan K, Marziyeh M, Mitra M, Mozhgan SR, Haleh G. The effect of education and awareness on quality of life in post menopausal women. *Indian journal of community medicine*. 2010;35(1).DOI:10.4103/0970-0218.62563.
Available from: <http://www.ijcm.org.in/text.asp?2010/35/1/109/62563>
17. Freeman EW, Sammel MD, Lin H, Gracia CR, Pien GW, Nelson DB, Sheng L. Symptoms associated with menopausal transition and reproductive hormones in midlife women. *Obstet Gynecol*. 2007;110:230-40.
Available from <http://www.ncbi.nlm.nih.gov/pubmed/17666595>
18. Moghadasian MH. Statins and menopause. 2002;62(17):2421-2431.

19. Anderson D, Mizzari K, Kain V, Webster J. Health care for women international. 2006;27:238-253 doi 10.1080/07399330500506543
20. Stevenson JC. Cardiovascular effects of estrogens. *Journal of steroid biochemistry and molecular biology*. 2000;74:387–393
21. Brockie J. Physiology and effects of menopause. *Nurse Prescribing*. 2008;6(5):202-206.
22. Hardy R, Kuh D. Does early growth influence timing of the menopause? Evidence from a British birth cohort. *Human Reproduction* 2002;17(9):2474-2479
23. Matthews KA, Bromberger JT. Does the menopause transition affect health related quality of life? *The American journal of medicine*. 2005;118:(12B):25S-36S.doi.10.1016/j.amjmed.2005.09.032
24. Mishra G, Kuh D. Perceived change in quality of life during menopause. *Soc sci med*.2006;62(1):93-120. doi:10.1016/j.socscimed.2005.05.015
Available from 28 June 2005.
25. Mastrangelo MA, Conway D, Legendre D, CanellaL C, House L, Kondos L, Quiros J, Suydam A, Galantino ML. Quality of Life Issues During the Menopause Transition. *Journal of women’s health physical therapy*. 2006;30(3):6-12
26. Orson SA, *Maternity, newborn and women’s health nursing: comprehensive care across the life span*: Lippincott william and wilkins: Philadelphia; 2008.
27. McDevitt J, Havens KK, Mundt M. Changes in wellness practices and health care utilization after an educational intervention for perimenopausal women. *women’s studies quarterly*. 2003;31(1&2):1-15
28. Satoh T, Ohashi K. Quality of life assessment in community – dwelling, middle aged, healthy women in Japan. *Climacteric*. 2005;8:146-153

29. Das PP, Bagga A. Age at menopause and health at mid life: An urban Indian experience. International Institute for Population Sciences . 2009;p.1-7
30. Sharma S, Tondon VR, Mahajan A. Menopausal symptom in urban women. JK science.2007;9(1):13-17.
31. Godfrey, J R., Naftolin, F. Toward Optimal Health: Managing Women's Medical Challenges in Midlife. Journal of women's health. 2008;17(10):1551-1554. DOI: 10.1089/jwh.2008.1182.
32. Velasco MV, Navarrete HE, Ojeda MRI. Experience and knowledge about climacteric and menopause women in Mexico city. Ged med mex. 2000;136(6):555-64.
33. Nisar N, Nisar AS. Frequency of menopausal symptoms and their impact on the quality of life of women: a hospital based survey. J Pak med assoc. 2009; 59:752-756.
34. Liao KLM, Hunter MS. Preparation for menopause: prospective evaluation of a health education intervention for mid aged women. Patient education and counseling. 1999;38(3):249-255.
35. Keefer L, Blanchard EB. A behavioral group treatment program for menopausal hot flashes: Results of a pilot study. Appl Psychophysiol Biofeedback 2005; 30:21-30.
36. Kumari S, Singh AJ, Jain V. Treatment seeking behavior for urinary incontinence among north Indian women. Indian j med sci. 2008;62(9): 352-56.
37. Wong LP, Nur LH. A survey of knowledge and perception of menopause among young to middle aged women in federal territory Kala Lumpur Malaysia. JUMMEC. 2007;10(2):22-30

38. Rimer KB, Glanz K. Theory at a glance: A guide for health promotion practice. 4th edn. NIH publication. U.S. Department of health and human services. (2005)
39. Ho SC, Gaeo CS, Bing YY, Yee CS, Sham A. Factors associated with menopausal symptoms reporting in Chinese midlife women. *Maturitas* . 2003; 25(44):149-56.
40. Burger HG, Hale GE, Robertson DM, Dennerstein L. A review of hormonal changes during the menopausal transition: focus on findings from the Melbourne women's midlife health project. *Human reproduction*. 2007;13(6):559-565
Doi:10.1093/humupd/dmm020
41. Arroyo A, Yeh J. Understanding the menopausal transition and managing its clinical challenges. *sexuality, reproduction and menopause*. 2005;3(1):12-17.
42. Villarruel AM, Harlow SD, Lopez M, Sowers MF. Exploring menopause among older Latina women el cambio de vida: conceptualizations of menopause and midwife among urban Latina women. *Research and theory for nursing practice. An international journal*. 2002;16:91-102.
43. Biri A, Bakar C, Maral M, Karabacak O, Bumin, MA. Women with and without menopause over age of 40 in Turkey: consequences and treatment options. *Maturitas*. 2005;50: 167-176.
44. IMS expert committee: The great Indian diversity: Clinical practice of menopause medicine: Indian menopause society census statement 2008.
45. TS Syamala, S Shivakami. Menopause: An emerging issue in India. *Economic and political weekly*. 2005;(19):4923-4930.
46. Dasgupta D, Ray S, Menopausal problems among rural and urban women from Eastern India. *Journal of social behavioural and health sciences* 2009; 3:20-43.

47. **Xu J, Bartoces M, Victoria AN, Rhonda KD, Northup J, Schwartz K.** Natural History of menopause symptoms in primary care Patients: A metronet study. *The journal of American board of family practice.* 2005;18:374-382.
48. Freeman EF, Grisso JA, Berlin J, Sammel M, Espana BG, Hollander L. Symptoms associated with menopausal transition and reproductive hormones in midlife women. *Obstetrics and gynecology.* 2007; 110:230 -240.
49. Aaron R, Mulivil J, Abraham S. Medico-social dimension of menopause: a cross sectional study from rural India. *Natl med j India.* 2002; 15(1):14-17.
50. Lyndarkar C, Hulton L. The Influence of Age on Symptoms of Perimenopause [Journal of Obstetric, Gynecologic, & Neonatal Nursing](#) . 2006;[33\(3\):340 - 347](#)
51. Syed Alwi SR, Siti RZ, Verna LKM, Assessment of menopausal symptoms using modified Menopause Rating Scale (MRS) among middle age women in kuching, sarawak, Malaysia *Asia pacific family medicine.* 2010;[9\(5\):1-6](#) doi:10.1186/1447-056X-9-5
52. Haines CJ, Xing SM, Park KH, Holinka CF, Ausmanas MK. Prevalence of menopause symptoms in different ethnic groups and Asian women & responsiveness to therapy with three doses of conjugated estrogen / medroxy progesterone acetate: The Pan Asian Menopause Study. *Maturitas.* 2005;52:264 - 276. doi:10.1016/j.maturitas.2005.03.012
53. Genazzani AR, Schneider HP, Panay N, Nijland EA. The European Menopause survey 2005: Women's perception on the menopause and post menopausal hormone therapy. *Gynecol Endocrinol.* 2006; 22:369-375.
54. Freeman EW, Grisso JA, Berlin J, Samuel M, Espana BG, Hollander L. Symptom report from a cohort of African and white women in late reproductive years. *The journal of north American menopause society.* 2001; 8(1)33-42.

55. Bairy L, Adiga S, Bhat B, Bhat R. Prevalence of menopausal symptoms and quality of life after menopause in women from south India. *Australian and New Zealand journal of obstetrics and gynecology* 2009;49:106-109.
56. Berg JA, Larson CA, Pasvogel AE. Menopause symptom perception and severity results from a screening questionnaire. *Journal of clinical nursing*. 2008;;17(17):940-8
57. Whiteman MK, Staropoli CA., Benedict, JC, Borgeest, C, Flaws, JA. Risk factors for hot flashes in midlife women. *journal of women's health*. 2003;12(5):1-11
58. Utian WH. Psychosocial and socioeconomic burden of vasomotor symptoms in menopause: A comprehensive review: Health and quality of life outcomes 2005; 3(47)1-15 doi: 10.1186/1477-7525-3-47.
59. Hollander LE, Freeman EW, Samuel MD, Berlin JA, et al. Sleep quality, estradiol level and behavioral factors in late reproductive age women. *Obstet Gynecol*. 2001; 98:391.
60. Gold EB, Block G, Crawford S, Lachance L, FitzGerald G, Miracle H, Sherman S. Relation of demographic and lifestyle factors to symptoms in a multi – racial/ethnic population of women 40 -55 years of age. *Am J Epidemiol*. 2004;159:1189 – 1199
61. Ohayon MM. Severe hot flashes are associated with chronic insomnia. *Arch Intern Med*. 2006;166(12):1262-8.
62. Pien GW, Sammel MD, Freeman EW, et al. Predictors of sleep quality in women in the menopausal transition. *Sleep*. 2008;31(7):991-9.
63. Sievert LL, Goode NSK. Musculoskeletal pain among women of menopausal age in Puebla, Mexico. *J cross cult gerontol*. 2005;26 (2) 127 -40.
64. Woods NF, Mitchell ES. Symptoms during the perimenopause: prevalence, severity, trajectory and significance in women's lives. *Am jme* 2005; 118:s14 -s41.

65. Sampsel CM, Harlow SD, Skurnick J et al. Urinary incontinence predictors and life impact in ethnically diverse perimenopausal women. *Obstet Gynecol.* 2002; 100: 1230-8
66. Newman DK. Stress urinary incontinence in women. *Am j nursing* 2003;1:46-55.
67. [Oskay UY](#) et al. study on urogenital complaints of postmenopausal women aged 50 and over. [Acta Obstet Gynecol Scand.](#) 2005 Jan; 84(1):72-8.
68. Dennerstein L, Dudley EC, Hopper JL, Guthrie JR, Burger HG. A prospective population based study of menopause symptoms. *Obstet gynecol.* 2008; 96:351-8.
69. Jones NL, Judd HL, Dechrney AH, Nathan L. *Current obstetrics and gynecology.* North American McGraw Hill Company; 2003. p. 1018 -41.
70. Woods NF, Mitchell ES, Di Julio KS. Sexual desire during the menopausal transition and early postmenopause: Observations from the Seattle Midlife Women's Health Study. *Journal of women's health.* 2010;19(2):209-218.
71. Nappi RE, Lachowsky M. Menopause and sexuality: Prevalence of symptoms and impact on quality of life *Maturitas.* 2009;63(2):138-141
72. Sowers M, Zheng H, Tomey K et al. Changes in body composition in women over six years at midlife: ovarian and chronological aging. *J Clin Endocrinol Metab.* 2007; 92:895-901.
73. Williams L T, Young A F and Brown W J. Weight gained in two years by a population of mid-aged women: how much is too much? Weight gained in 2 years by mid-aged women *International Journal of Obesity.* 2006;30:1229-1233
74. Jones GL, Sutton A. Quality of life in obese postmenopausal women. *Menopause international.* 2008;14(1):26-32

75. Pace G, Silvestri V, Gualá L, Vicentini C. Body mass index, urinary incontinence, and female sexual dysfunction: how they affect female postmenopausal health Menopause. 2009;16(6):1188-92.
76. Schenck Gk. Diagnosis of cardiovascular disease in women. Menopause international. 2007;13(1):19-22.
77. Mark S. Reducing osteoporosis: Prevention during childhood and adolescence. Bulletin of World Health Organization 1999;77(5)
78. Finkelstein JS, Brockwell SE, Mehta V, Greendale GA, Sower MFR. Bone mineral density changes during the menopause transition in a multiethnic cohort of women. The journal of clinical endocrinology and metabolism. 2008; 93:861-868.
79. World Health Organization. Constitution of the World health Organization: Basic documents. WHO. 1948; Geneva Switzerland.
80. Suling L, Perimenopause and quality of life. Clinical Nursing Research 2000; 9(1):6-23.
81. Avis NE, Stellato R, Crawford S. Is there a menopause syndrome? Menopausal status and symptoms across racial/ethnic groups. Soc sci med. 2001; 52:345 -56.
82. Twiss JJ, Wegner J, Hunter M, Kelsay M, Rathe HM, Salado W. Perimenopausal symptoms, quality of life and health behaviours in users and nonusers of hormone therapy. J Acad nurse prac. 2007;19(11):602-13.
83. Chedraui P, San Miguel G, Avila C Severe menopausal symptoms in middle-aged women are associated to female and male factors Archives of Gynecology and Obstetrics. 2010; 281(5) 879-885
84. Avis NE, Ory M, Matthews KA, Schocken M, Bromberger J, Colvin A, Health related quality of life in a multiethnic middle aged women: study of women's health across the nation (SWAN). Med care. 2003;14(11):1262 -76.

85. Placido L, Jose I, Celestino G et al. Differences in health related quality of life in a sample of Spanish menopausal women with and without obesity. 2007; 58(4) :387-394.
86. Women's Health Initiative. Menopausal hormonal therapy: calculating risks and benefits. *Obstetrics and Gynecology*. 2007;109(3):578-580.
87. Tsao. LI. Chang WY Hung LL Chang Sh. Chou PC. Perimenopausal knowledge of midlife women in northern Taiwan. *Journal of clinical nursing*. 2004;13:627-635.
88. Miller RG, Ashar BH. Managing menopause: current therapeutic options for vasomotor symptoms. *Adv Stud Med*. 2004;4:484-492.
89. Bhatia V, Puri S, Mangat C. Perception of menopause and post menopausal bleeding in women of Chandigarh India. *The internet journal of family practice*. 2008; 6(2):1528-8358.
90. Thomas SE, Menopause knowledge and attitudes of English speaking Caribbean women: Implication for health education. *Californian journal of health promotion* . 2005;3(3):167-176.
91. Veerus FK, Hovi SL, Karro H, Rahu M, hemminki E. Symptom reporting and quality of life in the Estonian postmenopausal hormone trial. *BMC women's health*. 2008;10:1186-1492.
92. Ohki K Toyokawa S, Kumura F, Kumura Y, Kano K. The effect of a health promotion program on physical, mental and dietetic health status in climacteric women nippon koshu elsei zasshi (article in japanese) 2001; 48(1):3-15.
93. Rotem M, Kushnir T, Levine R, Ehrenfeld M. A Psycho-Educational Program for Improving Women's Attitudes and Coping with Menopause Symptoms [Journal of Obstetric, Gynecologic, & Neonatal Nursing](#). 2006; 34 (2):233 – 240

94. Polit, F., Beck, C.T. (2008). Nursing research: Principles and methods. (8thedn.) Lippincott Williams Wilkins: Philadelphia.
95. Heinemann, LAJ., Potthoff, P., Schneider H. (2003). International version of menopause rating scale. *Health Qual Life Outcomes*, 1(28), 1-28 DOI: 10.1186/1477-7525.