

BIBLIOGRAPHY

- A practice committee report. (2001). The menopausal transition. American Society for reproductive medicine. page 1-6.
- Abernethy, K., Anim, C., Sutherland, C., Walters, B., Hillard, Alexander, S., Mcfall, P., Holloway, D., Hughes, E., Basak, C. (2005). Women's health and the menopause. RCN guidelines for nurses, midwives and health visitors. Royal College of Nursing : London.
- Adikunle, A.O., Fawole, A.O., Okunlola, M.A. (2000). Perception and attitudes of Nigerian women about menopause. *Journal of Obstetrics and Gynaecology*, 20(4), 525-529.
- Alder, B., Pinkerton, J.A., Utian, W.H. (2003). Menopause Management Roundtable on Quality of Life (QOL). *Menopause Management*, July/Aug., page. 26-29.
- Anderson, D., Yoshizawa, T., Gollsheckski, S., Atogami, F., Courtney, M. (2004) Relationship between menopausal symptoms and menopausal status in Australian and Japanese women: Preliminary analysis. *Nursing & Health Science*, 6(3), 173-180.
- Aranju, E., Francisco, C., Roa, M.J., Barbosa, W., Rui'z-Villaverde, G. (2006). Issues and innovations in nursing practice: Quality of life of rural menopausal women in response to a customized exercise program. *Journal of Advanced Nursing*. Blackwell publishing Ltd., Page 11-19.
- Arigo, D., Kloss, J.D., Kniele, K., Gilrain, K. (2007). Beliefs about sleep and perceived sleep quality are associated with quality of life among perimenopausal women. *Behav Sleep Med*, 5(4), 241-55.
- Astrand, L.L., Hoffmann, M., Hammar, M., Kjellgren, K.I. (2007). Women's conception of the menopausal transition – A qualitative study. *Journal of clinical Nursing*, 16, 509-517.
- Aurora, M.S., Shumaker, S.A., Kancler, C., Zheng, B., Reboussin, D.M., Claudine Legault, C., HerringtonD.M. (2003). Baseline Health Related Quality of Life in premenopausal Women CAD: The Estrogen Replacement and atherosclerosis trial. *Journal of Women's health*, 12(4), 351-362.
- Ballagh, S.R, Natalie L.R. Moore, AA. (2008). The menopausal transition and vasomotor symptoms. *The journal of family practice*, 57(1), S1-S16. www.jfponline.com

- Ballard, K.D., Kuh, D.J., Wadsworth, M.E.J. (2001). The role of menopause in women's experiences of the "change of life". *Sociology of health and illness*, 23(4), 397-424.
- Barbara, D. (2007). Care of the menopausal patient. A nurse practitioner's view. *Journal of the American Academy of Nurse Practitioners*, (19), 427–437.
- Bener A, Rizk DE, Shaheen H, Micallef R, Osman N, Dunn EV. (2000). Measurement specific quality of life satisfaction during menopause in an Afabian Gulf country. *Climacteric*, (3),43-49.
- Beyene, Y., Gilliss, C., Lee, K. (2007). Defying middle age in new millennium: Menopause. *The journal of North American menopause society*. 14(4), 1-8.
- Bianchi, ML, Orsini, MR, Saraifoger, S. (2005). Quality of life in post-menopausal osteoporosis Health and Quality of Life Outcomes, (3)78
- Black, J.M., Hawke J.H. (2009). Medical surgical nursing: Clinical management for positive outcomes. (7th edition). Saunders 11830 Westlile industrial drive. St Louis: Missouri 1059-1066.
- Blake, P.B. (2002). Menopausal treatment dilemma: a change for women and nurses. *Contemp Nurse*, 13(2-3), 117-25.
- Brambilla, D.J., McKinlay, S.M., Johannes, C.B. (1994). Defining the perimenopause for application in epidemiologic investigations. *Am J Epidemiol*, 15(12), 1091-5.
- Brazier, JE., Roberts, J., Platts, M., Zoellner, Y.E. (2005). Estimating a preference based index for a menopause specific health quality of life questionnaire. *Health Quality of Life outcomes*, 3(13), 1-9.
- Brockie, J. (2008). Alternative approaches to the menopause. *Practicing Nurse*, 19(4), 172-176.
- Brown, W.J., Mishra, G.D., Dobson A. (2002). Changes in Physical Symptoms During the Menopause Transition. *International Journal of behavioral medicine*, 9(1), 53–67
- Burger, H.G., Hale, G.E., Robertson, D.M., Dennerstein, L. (2007). A review of hormonal changes during the menopausal transition: *Focus on findings from Melbourne women's midlife health project*, 13(6), 559-565. DOI:10.1093/humupd/dmm020.

- Burghardt, M. (1999). Exercise at Menopause: A critical difference: *Medscape women's health*, 1(3), 1-16. Available from <http://www.medscape.com>
- Buxton-Blake P. (2002). Menopausal treatment dilemma: a challenge for women and nurses, *Contemp Nurse*, 13(2-3), 117-25.
- Cassidy, A. (2005). Diet and menopausal health. *Nursing Standard*, 19(29), 44-52.
- Charlotte, K. (2007). Estrogen and its effect on vaginal atrophy in post-menopausal women. *Urologic Nursing*, 27(1), 40-45.
- Chen, H. Y., William C.S. Cho, S.C., Sze W., Tong, Y. (2008). Treatment of Menopausal Symptoms with Er-xian Decoction: A Systematic Review. *The American Journal of Chinese Medicine*, 36(2), 233–244.
- Chirawatkul S, Patanasri K, and Koochaiyasit C. (2002). Perceptions about menopause and health practises among women in northeast Thailand. *Nursing and Health Sciences*, 4, 113–121.
- Choi, H., Palmer, M.H., Park J. (2007). Meta- Analysis of pelvic floor muscle training. *Nursing Research*, 56(40), 226-234.
- Clarisa, RG., Kurt, T.B. (2005). Care of Perimenopausal and Postmenopausal Patients *Glass's Office Gynaecology*, Page 1-64
- Clinkingbeard, C., Minton, B.A., Davis, J., McDermott, K. (1999). Women's knowledge about menopause hormone replacement and interactions with health care providers: An exploratory study. *Journal of women's health and gender based medicine*, (8), 1097-1102.
- Cohen, L., Soares, C., Vitonis, A. (2006). Risk for new onset of depression during the menopausal transition: The Harvard Study of moods and cycles. *Arch Gen Psychiatry*, (63), 385-90.
- Cole, C., Richards K. (2007). Sleep disruption in older adults. *AJN*, 107(5), 40-48.
- Cooper, M. (2009). How modern women can manage the menopause primary health care, 19(1), 1-7.
- Coughlan, M., Cronin, P., Ryan, F. (2007). Step by step guide to critiquing research. Quantitative research. *British Journal of Nursing*, 16(11), 658- 663.

- Cronin, L., Guyatt, G., Griffith L., Wong E., Aziz R., Futterweit W., Cook, D., Dunaf A. (1998). Development of a health related quality of life questionnaire (PCOSQ) for women with polycystic ovary syndrome. *Journal of clinical endocrinology and metabolism*, 83(6), 1976-87. Available at- jcem.endojournals.org
- Crowther, J. (1995). Oxford Advanced Learner's Dictionary. Thompson press: India.
- Datta D.C. (2009). Text book of gynaecology. (4th edn.). New central book agency Pvt. Ltd, Chintamani Daslane Calcutta: India. pp. 46-58.
- Davis, B. (2008). Reading research. (4th edn.). Elsevier, Canada.
- Davis, K., Kumar, D. (2003). Pelvic floor dysfunction: a conceptual framework for collaborative patient-centred care. *Journal of Advanced Nursing*, 43(6), 555–568
- Deeber, D.C. (2005). Physiology of thermoregulatory dysfunction and current approaches to the treatment of vasomotor symptoms. *Drugs*, (14), 435-448.
- Deeks, A. (2003). Psychological aspects of menopause management. *Best Practice & Research Clinical Endocrinology & Metabolism*, 17(3), 17–31.
- Dormire, S., Howharn, C. (2007). The Effect of Dietary Intake on Hot Flashes in Menopausal Women. *JOGNN*, (36), 255-262.
- Dormire S.I., King N.R. (2003). Menopausal hot flash frequency changes in response to experimental manipulation of blood glucose. *Nursing Research*, 52(5), 338-343.
- Edna, M., Astbury, W. (2003). Menopause, sexuality and culture: Is there a universal experience? *Sexual and Relationship Therapy*, 18(4), 337-445.
- Ehsanpour, S., Eivazi, M., Emami, S.D. (2007). Quality of life after the menopause and its relation with marital status. *Iranian journal of nursing and midwifery research autumn*, 12(4), 130-135.
- Elaine, N.M. (2006). Essentials of human Anatomy and Physiology. (8th edn.). Darling Kindersley. New Delhi: India. Page. 974-995.
- Elliott, J., Berman, H., Kim, S. (2002). A Critical Ethnography of Korean Canadian women's menopause experience. *Health Care for Women International*, (23), 377–388, 377-388
- Fabiyyi E.F. (2006). Soyabean processing, utilization and health benefits. *Pakistan Journal of Nutrition*, 5(5), 453-457.

- Faskanich D. (2002). Walking and leisure time activity and risks of hip fracture in postmenopausal women. *Journal of the American Medical Association*, 288(8), 2300-2306.
- Freedman RR, Roehrs TA. (2007). Sleep disturbance in menopause. *Menopause*, 14(5), 826-9.
- Freeman, M. D., Murray, A. (2002). Quality of life and menopause: The role of estrogen. *Journal of women's health*, 11(8), 703-718.
- Georgina Jones, G., Halls K.S., Ledger W.L. (2008). Health related quality of life measurement in women with polycystic ovary syndrome: A systematic review. *Am J Obstet Gynecol*, 187(2), 501-511.
- Gluckman, T.Y.J., Baranowski, B. Ashen, D., Henrikson, C.A., McAllister, M., Braunstein, JB., Blumenthal, R.S. (2004). A practical and evidence-based approach to cardiovascular disease risk reduction. *Archives of internal medicine*, 164(14), 1490-1500
- Goldstein I. (2010). Recognizing and treating urogenital atrophy in postmenopausal women. *Journal of women's health*, 19(3), 425-432.
- Gorodeski G.I. (2002). Update on cardiovascular disease in post menopausal women. *Best Pract Res Clin Obstet Gynaecol*, 16(3), 329-355.
- Grady D. (2006). Management of menopausal symptoms. *The New England Journal of Medicine*, 355(22), 2338-47.
- Grimshaw J., Campbell, M., Eccles M., Steen N., (2000). Experimental and quasi experimental designs for evaluating guideline implementation strategies. *Family practice*, 17(1), S11-S16.
- Gupta, P., Sturdee, D.W., Hunter, M.S. (2006). Mid-Age health in women from the Indian subcontinent (MAHWIS): General health and the experience of menopause in women. *Climacteric*, 9, 13-22.
- Halm, MA., Dinker, J. (2003). Primary prevention program to reduce heart disease risk in women. *Clin Nurse Spec*, 17(2), 101-9.
- Hardesty, P., Trupp, RJ. (2005). Prevention: the key to reducing cardiovascular disease risk in women, 20(6), 433-441.
- Harris, A.D., McGregor, J.C., Perencevich, E.N., Furuno, J.P., Zhu J., Peterson D.E., Finkelstein, J. (2010). The Use and Interpretation of Quasi-Experimental Studies in Medical Informatics *JAMIA*, 17(4), 41-485.

- Harvard women's watch. (2005). Perimenopause:Rocky road to menopause, 12(12), 1-4
www.health.harvard.edu
- Hayes, J., Ockene, J.K., Brunner. (2003). Effect of Estrogen plus properties on health related quality of life. *The New England Journal of Medicine*, 348, 1839-1854.
- Heinemann, LAJ., Potthoff, P., Schneider H. (2003). International version of menopause rating scale. *Health Qual Life Outcomes*, 1(28), 1-28 DOI: 10.1186/1477-7525.
- Heinmann K, Rueloig A, Potthoff P., Hermann S, Strelow F., Heinemann, LAJ., Thai D. M. (2004). The Menopause Rating Scale (MRS) ; A Methodological Review. *Health and Quality of Life outcomes*, 2(45), 2-8.
- Heinmann, L.A.J., DoMinh, T., Strelow, F., Gerbsch, S., Schnitker, J., Schneider, P.G. 2004. The Menopause Rating Scale (MRS) as outcome measure for hormone treatment? A validation study. *Health and Quality of Life outcomes*, 2(67), 1-7.
- Hoikkala, H, Haapalahti, P, Viitasalo M, Vaananen H, Sovijarvi A Ylikorkala, O Mikkola, T. (2010). Association between vasomotor hot flashes and heart rate variability in recently postmenopausal women. *Menopause*, 17(2), 315-320.
- Holloway, D. (2008). Non-hormonal treatment options during the menopause. *Nurse Prescribing*, 6(11), 479-484.
- Huffmann, S.B, Myers, J.E. (1999). Counseling women in midlife: An integrative approach to menopause. *Journal of counseling and development*. 77, 258-266.
- Hunter, M. (2003). The women's health questionnaire: *Health and quality of life outcomes*, 1(4), 1-41.
- Hurd, W.W., Amesse L.S., Randolph J.F. (2002). Novak's Gynecology. (13th edn.). Lippincott William & Wilkins. A wolter Kluwer company: Philadelphia.
- Im, E.O., Liu, Y., Dormire, S., Chee, W. (2008). Menopausal symptom experience: An online forum study. *Journal of Advanced Nursing*, 62(5), 541-550.
- Im, E. O., Lee, BI., Chee, W., Dormire, S., Brown, A. (2010). A National Multi-ethnic Online Forum Study on Menopausal Symptom Experience. *Nursing Research*, 9(1), 26-33.
- Imogie, A.O. (2000). Sustenance of women's health after the age of 45 years at university of Benin, Benin City Nigeria. *Healthcare of women International*, 21, 717-726.

- International menopause society consensus statement. (2009). The Writing Group on behalf of the Workshop Consensus Group. Aging, menopause, cardiovascular disease and HRT. *Climacteric*, (12), 368–377.
- Jefferson, A. (2005). Phytoestrogens and the menopause – do they really help? British Nutrition Foundation. *Nutrition Bulletin*, (30), 370–373.
- John M.(2008). Notes on introduction to research. B.I publication, Chennai:India.
- Joseph, L., Mayo, M.D. (1999). A Natural Approach to Menopause. *Advanced Nutrition Publications*, 5(7), 1-8.
- Katherine, H.K., Day A., Neill S.O., Patterson, C., Lyons, P., (2005). Does scientific evidence support the use of non-prescription supplements for treatment of acute menopausal symptoms such as hot flushes? *Nutr Diet*, (62), 138–151).
- Keenan, N.L, Mark, S., Fugh-Berman, A., Browne, D., Kaczmarczyk, J., Hunter, C. (2003). Severity of menopausal symptoms and use of both conventional and complementary/alternative therapies. Menopause: *The Journal of the North American Menopause Society*, 10(6), 507–15.
- Kincade J.E, Dougherty, M.C., Carison, J.R, Hunter, G.S., Busby, W.J. (2007). Randomized clinical trial of efficacy of self monitoring techniques to treat urinary incontinence in women. *Neurourology and urodynamics*, 26, 507-511.
- King, PM. (2006). Psychosocial Factors Associated with Menopause: Relevance to Physical Therapist Practice in Women's Health. *Journal of Women's Health Physical Therapy*, 30(3), 13-17.
- Kingsberg, S.A., (2004). Hypoactive sexual desire disorder in postmenopausal women: Psychologic aspects. *Supplement to OBG Management*, Page. 3-9
- Kockrow, C. (2006). Fundamentals of nursing. (5th edn.), Mosby, 11830 westline industrial drive, St. Louis: Missouri, pp. 175-183.
- Kok, L., Kreijkamp, K.S., Grobbee, D.E., Schouw, Y.T. (2004). The effect of soy containing isoflavones on quality of life in postmenopausal women. *The journal of nutrition*, 134(5), 1289S -1290S.
- Kothari, C.R. (2008) Research Methodology, Methods & techniques (2nd edn.), New age International: New Delhi.

- Krajewska, K., Krajewska, K.E., Heinneman, L., Adraniotis, J., Chadzopulu, A., Theodosopoyloy, E., Euframidu, E.N., Kruszewa, R., Szpakow, A., Jankowiak, B., Rolka, H., Klimaszewska, K., Kowalczuk, K., Kondzior, D., Baranowska, A. (2007). Comparative analysis of quality of life of women in menopause period in Poland, Greece and Belorussia using MRS scale. *Advances in Medical Sciences*, 52(1), 140-143.
- Kroll, J., Rothert, M., Davidson, W.S., Schmitt, N., Holmes, R.M., Padonu, G., Reischl, T.M. (2000). Predictors of participation in health care at menopause. *Health communication*, 12(4), 339-360.
- Langer, N. (2008). Women's midlife journey: If not now, when...? *Educational Gerontology*, (34), 663–669. DOI: 10.1080/03601270801949468.
- Lemaire, GS, Lenz ER. (1995). Perceived uncertainty about menopause in women attending an educational program. *International journal of nursing studies*, (32),39-48.
- Leplege A. Dinnerstein L. (2000). Menopause and quality of life. Quality of life research, 9, 689-692.
- Li, S., Holm, K, Gulnick, M., Lanuza, D. (2000). Perimenopause and the quality of life. *Clin Nurs Res*, 9(1), 6-23.
- Lori, Mosi. (2004). Heart Disease prevention in women. American Heart Association: New York. *Circulation*, 109, e158-e160,
- Lovejoy, J.C., (2009) Weight gain in women at midlife: The influence of menopause *Obesity Management*, 5(2), 52-56. doi:10.1089/obe.2009.0203.
- Luetters, C., Huang, M. H., Seeman T., Buckwalter, G., Meyer P. M., Avis N. E., Sternfeld, B., Johnston, J. M., Greendale , G. A. (2007). Menopause transition stage and endogenous estradiol and follicle-stimulating hormone levels are not related to cognitive performance: cross-sectional results from the Study of Women's Health Across the Nation (SWAN). *Journal of women's health*, 16(3), 331-344.
- Lukkarinen, H. (2006). Treatment of coronary artery disease improving quality of life in the long term. *Nursing research*, 55(1), 26-33.
- Luoto, R. (2009). Hot Flushes and quality of Life during menopause. *BMC Women's Health*, 9(13), 1-3.
- Maartens, L.W., Leusink, G.L., Knottnems, J.A. (2001). Climacteric complaints in the community. *Fam Pract*, 18, 189-194.

- Mackeys, S. (2007). Women's experience of being well during peri-menopause. A phenomenological study. *Contemporary Nurse*, (25), 39–49.
- Macnee, C., McCabe, S. (2008). Understanding nursing research: Reading and using nursing research in evidence based practice. Lippincott. William Wilkins.
- Madeleine, J., Murtagh H.J. (2005). Narrative review of changing medical and feminist perspectives on menopause: From femininity and ageing to risk and choice. Psychology. *Health & Medicine*, 10(3), 276 – 290.
- Mary, C., Politi, Mark, D., Schleinitz, M.D., Nananda F. (2008). Revisiting the Duration of Vasomotor Symptoms of Menopause: A Meta-Analysis. *J Gen Intern Med*, 23(9), 1507–13
- Matary, E.L., Kemball, G., Feteaha, H., (2006). Loss of libido in postmenopausal women *Journal of Obstetrics and Gynecology*, 26(6), 495–500.
DOI: 10.1080/01443610600797244
- McVeigh C. (2005). Perimenopause: more than hot flushes and night sweats for some Australian women. *J Obstet Gynecol Neonatal Nurs*, 34(1), 21-7.
- Mieres, O.H. (2006). Review of American Heart Association Guidelines for cardiovascular disease prevention in women. *Heart*, 92(3).
- Moe, KE. (2004). Hot flashes and sleep in women. *Sleep Med Rev*, 8(6), 487-97.
- Mosca, L., Edelman, D., Mochari, H., Christian, A.H., Paultre, F., Pollin, I. (2006). Waist circumference predicts cardiometabolic and global Framingham risk among women screened during national women's heart day. *J Women's Health (Larchmt)*, 15(1), 24-34.
- Myra, S. Hunter. (2003) Health related quality of life outcome. The Women's Health Questionnaire (WHQ), 1(41), 1-5.
- Nedrow, A.J., Miller, M., Walker, P., Nygren, L.H., Nelson, H.D. (2006). Complementary and alternative therapies for the management of menopause-related symptoms: A systematic evidence review. *Arch. Intern. Med*, 166, 1453–1465,
- Newton, K.M., Buist, D.S.M., Keenan, N.L., Anderson L.A., LaCroix, A.Z. (2002). Use of alternative therapies for menopause symptoms: results of a population-based survey, *Obstet. Gynecol*, 100, 18–25
- Ozkan, S., Alatas, E.S., Zencer, M. (2005). Women's quality of Life in the premenopausal and postmenopausal periods. *Quality of Life Research*, 14, 1795 – 1801

- Padmadas, S.S., Hutter, I., Willekens, F. (2004). Compression of Women's Reproductive Spans In Andhra Pradesh, India. *International Family Planning Perspectives*, 30(1), 12-19.
- Park, J.E., Park, K. (2009). Text Book of Social and preventive Medicine. (20thedn.) B.B. publishers, Jabalpur: India. 110-112.
- Patricia, A., Potter. (2005). Fundamentals of Nursing. (6th edn.). Mosby, St. Louis: Missouri. Page 216-233.
- Paul, J. (2003). Health and safety and the menopause: working through the change. Trades Union Congress. Page 1-35.
- Phipps, M.S. (2003). Medical Surgical Nursing; Health and illness perspectives Mosby, St. Louis: Missouri.
- Pinkerton, J.V., Zion, A. (2006). Vasomotor Symptoms in Menopause: Where we've been and where are we going? *Women's Health*, (15), 135–145.
- Prabhakaran, G.N., Rajalakshmi, D. (2006). Bioststistics. Jaypee Brothers, New Delhi: India.
- Prior, J.C. Perimenopause: The Complex Endocrinology of the Menopausal Transition *Endocrine Reviews*, 19(4), 397-428
- Ratka, A., Miller, V., Brown, K., Raut A., Cipher D., Meczekalski,B., Simpkins, J.W., (2006). Menopausal vasomotor symptoms (MVS) survey for assessment of hot flashes. *Journal of women's health*, 15(1), 77-89.
- Robb – Nicholson C. (2005). Perimenopause: rocky road to menopause. *Harv women's health watch*, (12)1-4.
- Robinson F., Writer F. (2009). Living well after menopause. *Practice Nurse*, 38(8), 10-11.
- Rothert M.L, Homes, M, Rovner, D, Kroll, J., Bree,r L., Talarczyk, G., Schmitt, N., Padonu, G., Wills, C. (1997). An educational intervention as decision support for menopausal women. *Research in nursing and health*, 20, 377-387.
- Sadanal, R. (2002). Definition and measurement of reproductive health Bulletin of the World Health Organization, 80(5), 407-409
- Santoro, N. (2005). The menopause. *The American Journal of medicine*, 118(12B), 8S-13S.

- Sherburn, M., Guthrie, J.R., Dudley, E.C. (2001). Is Incontinence associated with Menopause? *Obstetrics and Gynaecology*, 98(4), 628-633.
- Sid, E., Bryant, O., Palav, A., McCaffrey, R.J. (2003). A review of symptoms associated with menopause: Implications for clinical Neuropsychologists and other health care providers. *Neuropsychology Review*, 13(3), 145-52.
- Silbergeld, E.K., Flaws, J.A. (1999). Chemicals and menopause: Effect at age on Menopause and on health status in the postmenopausal period. *Journal of women's health*, 8(2), 227-234.
- Soanes, C., Spooner, A., Hawker S. (2005). Compact Oxford Dictionary Thesaurus & word power. Brijbasi art press, New Delhi: India.
- Soules, M., Sherman, S., Parrott, E. (2001). Executive summary: Stages of Reproductive Aging Workshop (STRAW). *Climacteric*, 4(4), 267–72.
- Sulak PJ. (1996). The perimenopause: A critical time in a woman's life. *International journal of fertility and menopausal studies*, 41(2), 85-89.
- Syed, S.A., Rahman, A., Zainudin, S.R, Lee, V.K.M. (2010). Assessment of menopausal symptoms using modified Menopause Rating Scale (MRS) among middle age women in Kuching, Sarawak, Malaysia. *Asia Pacific Family Medicine*, 9(5), 2-6. <http://www.apfmj.com/content/9/1/5>
- The North American Menopause Society (NAMS). (2004). Treatment of menopause-associated vasomotor symptoms: position statement of The North American Menopause Society *Menopause. The Journal of The North American Menopause Society*. 11(1), 11-33 DOI: 10.1097/01.GME.0000108177.85442.71.
- Thurston, R.C, Sowers, M.R., Chang, Y., Sternfeld, B., Gold, E.B., Johnston, J.M., Mattews., K.A. (2008). Adiposity and reporting of vasomotor symptoms among midlife women. The Study of Women's Health Across the Nation. *American journal of epidemiology*, (167, 78-85.
- Thurston, RC. (2009). The skinny on body fat and vasomotor symptoms, *Menopausal Medicine*, 17(1), S1-S5
- T.S. Syamala, S. Shivakami. (2005). Menopause: An emerging issue in India. *Economic and political weekly*, 19, 4923-4930.
- Turner, L.W., Hunt, S.B., DiBrezzo R, Jones C. (2004). Design and implementation of an osteoporosis prevention program using the health belief model. *American journal of health studies*, 19(2), 115-121.

- Tyagi, R. (2000). National policy on older persons- at a glance. *Help age India: Research and development journ*, 6(1), 5-10.
- Unal, A., Ozgul, O., Ozlem, O., Gul, A., Dursun, F.E. (2010). Menopause status and attitudes in a Turkish midlife female population: an epidemiological study MC Womens Health,10(1).
- Vinker, S., Yogevev, Y., Kital, E., Ben, H.H., Kaplan, B.. (2003) Awareness of Personal Healthcare and menopause in Menopausal Women in Israel. *Isr Med Assoc J*, 5(1), 31-34.
- Waetjen, E.L., Ye, J., Feng, Y.W., Johnson, O.W., Greendale, G.A., Sampselle, C.M., Sternfield, B., Harlow, S.D., Gold, E.B. (2009). Association between Menopause Transition Stages and developing Urinary incontinence. *Obstetrics and Gynaecology*, 114(5), 989-998.
- Wafik, F.A., Bussy, C., Belmin J. (2005). Prevention of Cardiovascular Events in Elderly People Drugs Aging, 22 (10), 859-876
- Waidyasekera, H., Wijewardena, K., Lindmark, G., Naessen, T. (2009). Menopausal symptoms and quality of life during the menopausal transition in Sri Lankan women. *Menopause*, 16(1), 164-70.
- Walsh, B.N., Ginsburg, E.S., (1999). Kistner's gynecology and women's health. Menopause. (7th edn.) Mosby, St. Louis, Baltimore:Boston.
- Wani, R.J. (2009). Menopause Management: "To treat or not to treat, that is the question!!!" Health of women over 40. *Quarterly Medical Review*. 60(1), 97-14
- Weber, J., Kelly, J. (2009). Health assessment in nursing. (4rd edn.). Lippincott:Williams wilkins. 469-500.
- White, L., Duncun, G. (2002) Medical Surgical Nursing: An integrated approach. (2nd edn.), Delmar Division: USA. 942-945.
- Woods F N, Smith D K, Percival DB. Tao E, Heather J. Taylor B.S. Mitchell E S, (2007). Symptoms during the Menopausal Transition and Early Postmenopause and Their Relation to Endocrine Levels over Time: Observations from the Seattle Midlife Women's Health Study. *Journal of Women's Health*, 16(5), 667-677.
- Woods NF, Mitchell ES, Percival DB, Smith-Di Julio K. (2009). Is the menopausal transition stressful? Observations of perceived stress from the Seattle Midlife Women's Health study. *Menopause*, 16, 90-7.

Woods NF, Mitchell ES. (1999). Anticipating menopause: observations from the Seattle Midlife Women's Health study. *Menopause*, 6, 167-73.

World Health Organization. (2000). Healthy Ageing - Adults with Intellectual Disabilities: Summative Report. Geneva: Switzerland: World Health Organization (WHO/MSD/HPS/MDP/00.3).1-22

World Health Organization. (1996). Research on the menopause in 1990s. Report of a WHO Scientific Group. World Health Organ Tech Rep Ser, 866, 12-14.

World population prospects. (2007). The 2006 revision population. News letter, 83 Population Division United Nations Secretariat Department of Economic and Social Affairs: New York. (www.unpopulation.org)